



Questo patch panel estraibile da 1U, innovativo e robusto, è progettato per contenere fino a 24 fibre.

Il pannello offre una vera soluzione flessibile e multifunzionale, con ampia facilità di accesso durante l'installazione o riconfigurazioni, senza alcun disturbo per le fibre ed i cavi già presenti.

In aggiunta alla scelta di adattatori, il pannello offre multiple soluzioni di entrata cavi, possedendo 4 postazioni di entrata standard per cavi loose tube, tight buffer, preterminati ed armati in acciaio. Questi ultimi vengono installati attraverso una placca posteriore rimovibile.

Ciascun pannello integra postazioni per l'assicurazione dell'elemento di trazione.

### Caratteristiche

- Installazione di fino a 24 fibre
- Multiple opzioni adattatori
- 24 posizioni per adattori
- Porte individualmente etichettate
- Angolo di lavorazione di 45°
- Accetta cavi loose tube, di distribuzione e preterminati
- Valutato RoHS, REACH SvHC e UL
- Dimensioni standard 19"

### Applicazioni

- Data centre ed edifici
- Ethernet, Fibre Channel, ATM, LAN, MAN e WAN
- Comunicazione dati e reti di telecomunicazione
- Applicazioni interne

### Specifiche tecniche

ELEMENT	CHARACTERISTIC
U Size	1U (44.4mm)
Width	482mm
Depth	205mm
Net weight	2.5 kgs
Packaged weight	3 kgs
Packaged dimensions	450mm W X 55mm H x 260mm D
IP rating	IP20
Suitable for Adaptor type	ST/ FC
Number of ports	24
Cable Entry 20mm	2
Cable entry 25mm	2
Mounting Adjustment range	50mm
Material	Cold- rolled steel
Material thickness	1.2mm
Material coating	Powder coating
Colour	RAL 9004
Operating temperature	-40°C to +50°C
Designed in accordance with	TIA/EIA 568.C, ISO/IEC 11801, EN50173, IEC60304, IEC61754,EN297-1
Compliant to	RoHS, Reach/SvHC

## Codice prodotto

**S01STS24** - S01 1U Black Sliding Patch Panel with ST Singlemode Adaptors

**S01STS24P1** - S01 1U Black Sliding Patch Panel with ST Singlemode Adaptors and OS1/OS2 9/125 Pigtailes

**S01STM24** - S01 1U Black Sliding Patch Panel with ST Multimode Adaptors

**S01STM24P2** - S01 1U Black Sliding Patch Panel with ST Multimode Adaptors and OM1 62.5/125 Pigtailes

**S01STM24P3** - S01 1U Black Sliding Patch Panel with ST Multimode Adaptors and OM2 50/125 Pigtailes

**S01STM24P4** - S01 1U Black Sliding Patch Panel with ST Multimode Adaptors and OM3 50/125 Pigtailes

**S01STM24P5** - S01 1U Black Sliding Patch Panel with ST Multimode Adaptors and OM4 50/125 Pigtailes

**S01FCS24** - S01 1U Black Sliding Patch Panel with FC Singlemode Adaptors

**S01FCS24P1** - S01 1U Black Sliding Patch Panel with FC Singlemode Adaptors and OS1/OS2 9/125 Pigtailes

**S01FCM24** - S01 1U Black Sliding Patch Panel with FC Multimode Adaptors

**S01FCM24P2** - S01 1U Black Sliding Patch Panel with FC Multimode Adaptors and OM1 62.5/125 Pigtailes

**S01FCM24P3** - S01 1U Black Sliding Patch Panel with FC Multimode Adaptors and OM2 50/125 Pigtailes


**S01FCM24P4** - S01 1U Black Sliding Patch Panel with FC Multimode Adaptors and OM3 50/125 Pigtailes

**S01FCM24P5** - S01 1U Black Sliding Patch Panel with FC Multimode Adaptors and OM4 50/125 Pigtailes

**S01FCA24** - S01 1U Black Sliding Patch Panel with FC APC Singlemode Adaptors

**S01FCA24P1** - S01 1U Black Sliding Patch Panel with FC APC Singlemode Adaptors and OS1/OS2 9/125 Pigtailes

## Disegno tecnico



### Ulteriori informazioni

- For additional information please contact your sales representative
- Downloaded from <http://www.fibrefab.it/products-it/pannelli-estraibili-e-pivotanti/s01-1u-sliding-patch-panel/>
- FibreFab reserves the right to make changes to the product specifications in this datasheet at any time without notice
- Per maggiori informazioni aggiornate consultare la scheda tecnica nella versione in inglese.
- Information in this document is correct as of June 22, 2015

#### Europe

- +44 (0) 1908 441 144
- sales@fibrefab.com

#### Americas

- +1 410 242 9026
- sales@fiberfabinc.com

#### Middle East & Africa

- +971 4 443 0168
- mea@optronicsnet.com

#### Asia Pacific

- +86 755 2561 3694
- asia@fibrefab.com

